

CLOUD RAN



MOBILE EXPERTS

Market Analysis of Radio Access Network Evolution

Frank Rayal, XONA Partners
and Joe Madden, Mobile Experts



[Table of Contents](#)

December 2013

Table of Contents

List of Figures	6
List of Tables	7
Executive Summary	9
Drivers of Cloud RAN Architecture	10
Evolution of the Base Station Architecture	12
Cloud RAN: Definition and Description	15
Benefit of Cloud RAN Architecture	20
Reduction of Site Rental Expenses	20
Savings in Operation and Maintenance Costs	21
Savings in Power Consumption	22
Utilization of Baseband Resources	24
Network Capacity Benefits – Coordinated Multipoint	26
Challenges to Cloud RAN Implementation	33
Fronthaul Line Rate	33
CPRI Compression	34
Availability of Fiber for Fronthaul	37
Baseband Hardware Platform	39
Cloud RAN Deployment Scenarios	41
Outdoor Deployments	41
Homogeneous network – macro cell layer.	41
Heterogeneous network – mix of small cells and macro cells.	42
Indoor and Venue Deployments	43
Cloud-RAN for Network Sharing	44
Comparison and Contrast with DAS and Compact Base Stations	46
CRAN versus Distributed Antenna Systems	46
CRAN versus Small Cells	49
Cloud RAN Fronthaul Topologies	53
Wireless Fronthaul in Cloud RAN	54
Cost-Benefit Analysis	56
Case Study 1: North American operator with leased fiber	58
Case Study 2: Asian operator with own dark fiber	61
Case Study 3: Cloud RAN versus DAS Deployment	64
Market Forecast	67
Cloud RAN Deployment Scenarios	67
Macrocell Cloud RAN Deployments	68
HetNet Cloud RAN Deployments	72
Acronyms	74
Appendix 1	76
Appendix 2	77

List of Figures

Figure 1. Legacy base station architecture.	10
Figure 2. Split base station architecture.	11
Figure 3. Compact base station architecture.	11
Figure 4. Simplified Cloud RAN architecture.	12
Figure 5. Active antenna array system.	12
Figure 6. Cloud RAN architecture.	13
Figure 7 Distributed network architecture vs. Cloud RAN	15
Figure 8 Annual site rental expenses	19
Figure 9 Measured CDF of traffic distribution	23
Figure 10. Coordinated multipoint (CoMP) in LTE networks.	26
Figure 11. CoMP benefits in boundary regions	26
Figure 12 Scenario 1: homogeneous network with intra-site CoMP	27
Figure 13 Scenario 2: homogeneous network with high Tx power RRHs	28
Figure 14 Scenario 3: network with low power RRHs within the macrocell coverage	28
Figure 15 CPRI Rate per channel for different access technologies.	32
Figure 16 Reduction of fronthaul line rate requirements in CRAN deployments.	33
Figure 17 Sites within the City of Toronto Limit: 599 sites covering 750 sq. km.	35
Figure 18 Metropolitan Cloud RAN deployed with 3 site (9-cell) clusters.	40
Figure 19. Deployment of Cloud RAN for outdoor small cells and macro cells.	41
Figure 20. Active distributed antenna system.	43
Figure 21 Backhaul traffic requirements for LTE small cells in different profiles.	47
Figure 22 Cloud RAN in a star/tree topology.	50
Figure 23. Cloud RAN in a ring topology.	51
Figure 24 CDF for 8-year TCO improvement in Cloud RAN over distributed architecture.	57
Figure 25 Sensitivity of 8-Year CRAN TCO for North American operator without own fiber.	58
Figure 26 8-year TCO improvement of CRAN for Asian operator with own fiber assets.	60
Figure 27 Sensitivity of 8-year CRAN TCO in case of Asian operator with own fiber assets.	60
Figure 28 TCO for multiple frequency channels per sector in DAS and CRAN architecture.	62
Figure 29 Forecasted annual high-power sectors in centralized base station mode.	66
Figure 30 Deployed centralized macro base station sectors.	66
Figure 31 Forecasted annual high-power sectors in Cloud RAN mode.	67
Figure 32 Deployed Cloud RAN base station sectors.	68
Figure 33 Forecasted annual low power RRH shipment volume.	69
Figure 34 Low power RRH deployed in HetNet Cloud RAN mode.	69
Figure 35 Forecasted total RRH sector shipments in Cloud RAN mode, by power level	73
Figure 36 Forecasted total RRH sector shipments in CRAN mode, by FDD vs. TDD	74

List of Tables

Table 1 High-level summary of Cloud RAN benefits and detractions..... 18

Table 2 Select FD-LTE CoMP gain for scenarios 1 and 2 (source: 3GPP⁸).29

Table 3 Select FD-LTE CoMP gain for heterogeneous network implementing eICIC (source: 3GPP⁸)..29

Table 4 CPRI Line rates (Gbps) for a single LTE channel.....31

Table 5 Site distance versus number of BBU centers in a North American city. 34

Table 6 Comparison on key features between compact small cells, DAS and Cloud RAN.48

Table 7 Description of key parameters in a Cloud RAN cost model..... 53

Table 8 Cell-average gain for coordinated multipoint. 55

Table 9 Base case cell site cost structure for North American operator without own fiber assets..... 55

Table 10 Base case cell site cost structure for Asian operator with own fiber assets.....59

Table 11 Distributed antenna system capital and operation costs (per sector). 61

Table 12 Base station capital and operation costs (per sector, venue deployment). 61

Table 13 Per sector 8-year TCO comparison between DAS and Cloud RAN. 62

Table 15 Statistical variables assumptions in North American operator TCO calculations. 73

Table 16 Statistical variables assumptions in Asian operator TCO calculations..... 74