To allow IE8 to run unsigned active X controls on trusted sites please follow these steps.

1. Launch IE8 and browse to your secured site



- 2. Go ahead and log in with your credentials
- 3. Once you are logged in click on "Tools > Internet Options > click on Security tab"; once the options windows is open click on "Trusted Sites"

Seneral Security Privacy Content Connections Programs Advance Select a zone to view or change security settings. Internet Local intranet Trusted sites Restricted sites Trusted sites Sites Trust of to damage your computer or your files. Security level for this zone Custom Custom Settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level Custom level Default level Reset all zones to default level	ternet (Options					?
Select a zone to view or change security settings. Internet Local intranet Trusted sites Restricted sites Trusted sites Trusted sites This zone contains websites that you trust not to damage your computer or your files. Security level for this zone Custom Custom settings To change the settings, click Custom level To use the recommended settings, click Default level Custom level Default level Reset all zones to default level	General	Security	Privacy Co	ontent Connec	tions Pr:	ograms Adv	anceo
Internet Local intranet Trusted sites Restricted sites Trusted sites Trusted sites This zone contains websites that you trust not to damage your computing or your files. Security level for this zone Custom Custom settings To change the settings, click Custom level To use the recommended settings, click Default level Custom level Default level Reset all zones to default level	Select a	a zone to v	view or change	e security settin	gs.		_
Trusted sites Sites This zone contains websites that you trust not to damage your computin or your files. Sites Security level for this zone Eustom Custom Custom settings. - To change the settings, click Custom level. To use the recommended settings, click Default level. Custom level Default level Reset all zones to default level	Inte	ernet	.ocal intranet	Trusted sites	Restric site	ted s	
This zone contains websites that you trust not to damage your computin or your files. Security level for this zone Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level. Custom level Default level Reset all zones to default level		Truste	d sites	-		Cibor	
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level. Custom level Default level Reset all zones to default level	Secur	This zor trust no your file ity level fo	e contains we t to damage y s. or this zone	ebsites that you your computer of	r —		
Custom level Default level Reset all zones to default level		Cus C - -	tom ustom setting: To change the To use the red	s. e settings, click (commended sett	Custom le [,] ings, click	vel. Default level.	
Reset all zones to default level				Custom level		Default level	
	25			Reset a	ll zones to	o default level	
OK Caral Landa				~	<i>C</i>	. 1	- 21

4. Now click on "Sites" and then add your URL. It will already be populated and you will see it in the text field below after you add it.

You can add and remove websites from thi this zone will use the zone's security settin	s zone. All websites gs.
dd this website to the zone:	Add
/ebsites: https://remote.londonderrypediatrics.com	Remove
Require server verification (https:) for all sites i	n this zone
	Close

5. Click close. Now click on "Custom Level" on the main window to change options for Trusted Sites. You should see this:

Settings -						
📑 🛃 .NE	T Framework				-	
- 2	Loose XAML					
	O Disable					
	Enable					
	O Prompt	.				
	XAML browse	r applications				
	O Disable					
	O Prompt					
- E	XPS documer	its				
	O Disable					
	O Prompt					
NE RE	Devenience 6	reliant compo	nents	6k-		
9 <u>02</u>	C Disable	or component	s with man	rests	-	
1	i i Liisanie					
*Takes e	ffect after yo	u restart Inte	rnet Explor	er		
Reset cust	om settings -					
Reset to:	Medium (a	default)		-	Reset	
	· · ·	, í				
				ок	Cancel	
						-

6. Now scroll down until you see the headings for ActiveX and set the following like this: Settings

	Download signed ActiveX controls
	O Disable
	O Enable
<	O Prompt
	Download unsigned ActiveX controls
1000	O Disable
	O Enable
<	O Prompt
	Initialize and script ActiveX controls not marked as safe for se
1.00	O Disable
	O Enable
<	O Prompt
	Only allow approved domains to use ActiveX without prompt
100	💿 Disable
	O Enable
	Rup ActiveX controls and plug-ips
1	•

Make sure all three settings are set for "Prompt" then click "OK".

7. Once you click OK you will receive this message:

Warning!		×
۲	Are you sure you want to change the settings for this zone?	
-	Yes No	

Click "Yes" to accept the changes.

8. Now your site should be trusted and you should have this icon at the bottom of the window:



- 9. Now when you log into the VPN portal you will be able to launch and install the add-on for the SSL VPN site. The first time you launch the VPN portal you may be prompted to allow the ActiveX, say OK and then click on "Install" if prompted.
- 10. Once the installation begins you will see a small progress window pop up and the tunnel software will begin to configure the tunnel.
- 11. You will know all is goo when you see a small icon on your task bar like this:



This little green/yellow ball shows you connected.

If you have any other problems please feel free to let me know. Either call the center or send me an email.